

Package ‘Proc4’

July 1, 2019

Version 0.4-2

Date 2019/06/20

Title Four Process Assessment Database and Dispatcher

Author Russell Almond

Maintainer Russell Almond <ralmond@fsu.edu>

Depends R (>= 3.0), methods, jsonlite, mongolite, futile.logger

Description Extracts observables from a sequence of events.

License Artistic-2.0

URL <https://pluto.coe.fsu.edu/Proc4>

R topics documented:

Proc4-package	2
as.json	6
buildjQuery	8
CaptureListener-class	10
getOneRec	11
InjectionListener-class	14
Listener	15
ListenerConstructors	17
ListenerSet-class	19
markAsProcessed	21
MongoDB-class	23
notifyListeners	24
P4Message	25
P4Message-class	27
parseMessage	29
saveRec	31
unboxer	32
UpdateListener-class	34
UpsertListener-class	36
withFlogging	37
Index	40

 Proc4-package

Four Process Assessment Database and Dispatcher

Description

Extracts observables from a sequence of events.

Details

The DESCRIPTION file: This package was not yet installed at build time.

Index: This package was not yet installed at build time.

This package exists to supply core functionality to other processes implementing processes in the four process architecture (Almond, Steinberg and Misleve, 2002). In particular, it contains low level code dealing with implementing message queues in a document database ([mongo](#)) and reading/writing messages from JSON.

There are five major features of this package documented below:

1. The [P4Message](#) object and the protocol for converting messages to JSON and saving them in the mongo database.
2. A [withFlogging](#) function which wraps the [flog.logger](#) protocol.
3. A number of [Listener](#) objects which implement an observer protocol for messages.
4. The `config` directory contains a number of javascript files for building database schemas and indexes.
5. The `dongle` directory contains a number of PHP scripts for exposing the database via a web server.

P4 Messages

The extended four process architecture defines a message object ([P4Message](#)) with the following fields:

`_id`: Used for internal database ID.

`app`: Object of class "character" which specifies the application in which the messages exit.

`uid`: Object of class "character" which identifies the user (student).

`context`: Object of class "character" which identifies the context, task, or item.

`sender`: Object of class "character" which identifies the sender. This is usually one of "Presentation Process", "Evidence Identification Process", "Evidence Accumulation Process", or "Activity Selection Process".

`mess`: Object of class "character" a general title for the message context.

`timestamp`: Object of class "POSIXt" which gives the time at which the message was generated.

`data`: Object of class "list" which contains the data to be transmitted with the message.

processed: A logical value: true if the message has been processed, and false if the message is still in queue to be processed. This field is set with `markAsProcessed`.

pError: If a error occurs while processing this event, information about the error can be stored here, either as an R object, or as an R object of class error (or any class). This field is accessed with `processingError` and set with `markAsError`.

Other classes can extend this message protocol by adding additional fields, but the header fields of the message object allow it to be routed.

In particular, the `processed` field allows a database collection of messages to be used as queue. Simply search for unprocessed message and begin processing them oldest first, using `markAsProcessed` to mark the complete process and `markAsError` to mark errors.

The functions `saveRec`, `getOneRec` and `getManyRecs` facilitate saving and loading message objects from the database. These build on the `mongolite` (`mongo`) and `jsonlite` (`toJSON`) packages. The function `buildJQuery` gives R-like syntactic sugar to building mongo (JSON) queries.

The `jsonlite` package provides minimal support for storing S4 objects in the mongo database. In particular, `toJSON` provides too little support and `serializeJSON` wraps the object in R-specific metadata which makes the data difficult for other applications to extract. Instead, Proc4 introduces a new protocol which is suitable for saving S4 classes: a generic `as.json` function for converting the class to JSON, and a `parseXXX` function for reversing the process.

The `as.json` function calls `attributes` to convert the S4 object into a list, and then calls the function `as.jlist` to massage the elements of the list for export into JSON. The function `unboxer` is useful for preventing elements which should be scalars from being converted into lists. The `as.json` function then runs the result through `toJSON` to get the result.

The `parseXXX` messages reverse this process. In particular, the record is retrieved from the database and converted into a list using `fromJSON`. The parsing function is then called on the result to build the object. The function `parseMessage` provides an example. The function `cleanMessageJlist` does much of the interior work of the parsing and is intended for subclasses of `P4Message`. The `getOneRec` and `getManyRecs` functions take a `parseXXX` function as an argument to construct objects from the database.

Logging

The logging system for the Proc4 processes is mostly just the `flog.logger` protocol. Aside from importing the `futile.logger` package, Proc4 makes one addition. The function `withFlogging` executes a series of statements in an environment in which the error messages will be logged, and at higher logging levels, stack traces for errors and warnings are given. The intention is that most message handling functions will be wrapped in `withFlogging`, so that information about the message causing the error/warning will be available for debugging.

Listeners

The Proc4 package implements an observer protocol called `Listener`. A listener is an abstract class which implements the `receiveMessage` function. The argument of this function is a `P4Message` object, which the listener then does something with. (In most of the implemented examples, this is to save it in a database.) Note that listeners should also define a `isListener` method to indicate that it is a listener.

Four listeners are currently implemented (see `ListenerConstructors` or the individual listener classes):

CaptureListener Creates an object of class [CaptureListener](#) which stores the messages in a list.

InjectionListener Creates an object of class [InjectionListener](#) which inserts the message into the designated database.

UpdateListener Creates an object of class [UpdateListener](#) which updates the designated field.

UpsertListener Creates an object of class [UpsertListener](#) which insert or replaces the message in the designated collection.

The [ListenerSet](#) class is a mixin to associate a collection of listeners with an object (the [EIEngine](#) and [EAEngine](#) classes use this). The generic function [notifyListeners](#) can be called. This logs information about the message (see logging system above), save a copy of the message in a “Messages” database, and calls the [receiveMessage](#) method on all of the listener objects in its collection.

Configuration Files

Using the mongo database, both security (user IDs and passwords) is optional. Running mongo without security turned on is probably okay as long as the installation is (a) behind a firewall, and (b) the firewall is configured to not allow connections on the mongo port except from localhost. However, other users may want to turn on security.

The recommended security setup is to create four users, “EIP”, “EAP”, “ASP”, and “C4” for the four processes and to assign a password to each. The URI’s of the database connections then need to be modified to include the username and passwords. Each process would have an `ini.R` file which contains its password which is stored in an appropriate configuration directory. (On *nix systems, the recommend location is `/usr/local/share/Proc4.`)

The files `Proc4.ini` (PHP format) and `Proc4.js` (javascript format) can be used for saving the key usernames and passwords. These files are located in the directory `file.path(library(help="Proc4")$path, "config")`. To install these files it is necessary to copy the files to the configuration directory and edit them so that the password reflects local preferences.

The file `setupDatabases.js` in the `config` directory creates databases for each of the processes and stores the appropriate login credentials. (Note that this calls `Proc4.js` to get these credentials so that file must be established first.) This is a javascript file designed to be run directly in mongo, i.e., `mongo setupDatabases.js`. Note that it must be run by a user which has the appropriate privileges to create databases and modify their security (a “root” user).

The file `setupProc4.js` in the `config` directory sets up schemas and indexes for collections in the Proc4 database which are used by the dongle process. Schemas are optional in mongo, but the indexes should speed up operations.

Dongle Files

The directory `file.path(library(help="Proc4")$path, "config")` contains files that facilitate direct communication with the mongo database. In particular, there are a number of PHP scripts which if put in a directory available to the web server will allow remote processes to get information about users in the system. The scripts are:

`PlayerStart.php` Called when player logs in on a given day. As data returns information needed to restore gaming session (currently bank balance and list of trophies earned). Note that player details are updated by the EI process.

`PlayerStop.php` Called when player logs out. Currently not used. It is designed to help automatically shut down unneeded processes.

`PlayerStats.php` Called when current player competency estimates are required, e.g., when displaying player scores. It returns a list of statistics and their values in the data field; the exact statistics returned depend on the configuration of the EA process. This database collection is updated by the EA process after each game level is processed.

`PlayerLevels.php` Called when the game wants the next level. The message data should contain information about what topic the player is currently addressing and a list of played and unplayed levels, with the unplayed levels sorted so the next level according to protocol is first on the list. The complete list of levels should be returned so that if levels on the list have already been completed, a new level would be entered. Although the PHP script has been built, the AS process to feed it has not.

In addition, there is a file called `LLtoP4` in that directory which is a bash script for translating between xAPI and Proc4 message formats. The function `LLtoP4Loop` repeatedly downloads xAPI statements from the learning locker database, translates them to P4 format, and uploads them to the EI process database.

The vingette file `Dongle.pdf` describes the dongle and database structure in more detail.

Acknowledgements

Work on the Proc4, EIEvent and EABN packages has been supported by the National Science foundation grants *DIP: Game-based Assessment and Support of STEM-related Competencies* (#1628937, Val Shute, PI) and *Mathematical Learning via Architectural Design and Modeling Using E-Rebuild* (#1720533, Fengfeng Ke, PI).

The Proc4 package development was led by Russell Almond (Co-PI).

Author(s)

Russell Almond

Maintainer: Russell Almond <ralmond@fsu.edu>

References

Almond, R. G., Steinberg, L. S., and Mislevy, R.J. (2002). Enhancing the design and delivery of Assessment Systems: A Four-Process Architecture. *Journal of Technology, Learning, and Assessment*, 1, <http://ejournals.bc.edu/ojs/index.php/jtla/article/view/1671>.

See Also

[flog.logger](#), [EIEvent](#), [EABN](#)

as.json

Converts P4 messages to JSON representation

Description

These methods extend the [toJSON](#) function providing an extensible protocol for serializing S4 objects. The function `as.json` turns the object into a string containing a JSON document by first calling `as.jlist` to convert the object into a list and then calling `toJSON` to do the work.

Usage

```
as.json(x, serialize=TRUE)
## S4 method for signature 'ANY'
as.json(x, serialize=TRUE)
as.jlist(obj,m1, serialize=TRUE)
```

Arguments

<code>x</code>	An (S4) object to be serialized.
<code>obj</code>	The object being serialized
<code>m1</code>	A list of fields of the object.
<code>serialize</code>	A logical flag. If true, serializeJSON is used to protect the data field (and other objects which might contain complex R code).

Details

The existing [toJSON](#) does not support S4 objects, and the [serializeJSON](#) provides too much detail; so while it is good for saving and restoring R objects, it is not good for sharing data between programs. The function `as.json` and `as.jlist` are S4 generics, so they can be easily extended to other classes.

The default method for `as.json` is essentially `toJSON(as.jlist(x, attributes(x)))`. The function `attributes(x)` turns the fields of the object into a list, and then the appropriate method for `as.jlist` further processes those objects. For example, it can set the `"_id"` field used by the Mongo DB as a unique identifier (or other derived fields) to `NULL`.

Another important step is to call `unboxer` on fields which should not be stored as vectors. The function `toJSON` by default wraps all R objects in `'[]'` (after all, they are all vectors), but that is probably not useful if the field is to be used as an index. Wrapping the field in `unboxer()`, i.e., using `m1$field <- unboxer(m1$field)`, suppresses the brackets. The function `unboxer()` in this package is an extension of the `jsonlite::unbox` function, which does not properly unbox POSIXt objects.

Finally, for a field that can contain arbitrary R objects, the function [unparseData](#) converts the data into a JSON string which will completely recover the data. The `serialize` argument is passed to this function. If true, then [serializeJSON](#) is used which produces safe, but not particularly human editable JSON. If false, a simpler method is employed which produces more human readable code. This with should work for simpler data types, but does not support objects, and may fail with complex lists.

Value

The function `as.json` returns a unicode string with a serialized version of the object.

The function `as.jlist` returns a list of the fields of the object which need to be serialized (usually through a call to [toJSON](#)).

Author(s)

Russell Almond

See Also

In this package: [parseMessage](#), [saveRec](#), [parseData](#)

In the `jsonlite` package: [toJSON](#), [serializeJSON](#), `jsonlite::unbox`

Examples

```
mess1 <- P4Message("Fred", "Task 1", "Evidence ID", "Scored Response",
  as.POSIXct("2018-11-04 21:15:25 EST"),
  list(correct=TRUE, seletion="D"))
as.json(mess1)
as.json(mess1, FALSE)

## Not run:
## This is the method for P4 Messages.
setMethod("as.jlist", c("P4Message", "list"), function(obj, ml) {
  ml$"_id" <- NULL
  ml$class <- NULL
  ## Use manual unboxing for finer control.
  ml$app <- unboxer(ml$app)
  ml$uid <- unboxer(ml$uid)
  if (!is.null(ml$context) && length(ml$context)==1L)
    ml$context <- unboxer(ml$context)
  if (!is.null(ml$sender) && length(ml$sender)==1L)
    ml$sender <- unboxer(ml$sender)
  if (!is.null(ml$mess) && length(ml$mess)==1L)
    ml$mess <- unboxer(ml$mess)
  ml$timestamp <- unboxer(ml$timestamp) # Auto_unboxer bug.
  ## Saves name data; need recursvie version.
  ml$data <- unparseData(ml$data)
  ml
})

## End(Not run)
```

 buildJQuery

Transforms a query into JQuery JSON.

Description

This function takes a query which is expressed in the argument list and transforms it into a JSON query document which can be used with the Mongo Database. The function buildJQterm is a helper function which builds up a single term of the query.

Usage

```
buildJQuery(..., rawfields = character())
buildJQterm(name,value)
```

Arguments

...	This should be a named list of arguments. The values should be the desired query value, or a more complex expression (see details).
rawfields	These arguments are passed as character vectors directly into the query document without processing.
name	The name of the field.
value	The value of the field or an expression which gives a query for the resulting document.

Details

A typical query to a Mongo database collection is done with a JSON object which has a number of bits that look like "*field:value*", where *field* names a field in the document, and *value* is a value to be matched. A record matches the query if all of the fields specified in the query match the corresponding fields in the record.

Note that *value* could be a special expression which gives specifies a more complex expression allowing for ranges of values. In particular, the Mongo query language supports the following operators: "\$eq", "\$ne", "\$gt", "\$lt", "\$gte", "\$lte". These can be specified using a value of the form `c(<op>=<value>)`, where *op* is one of the mongo operators, without the leading '\$'. Multiple op-value pairs can be specified; for example, `count=c(gt=3,lt=6)`. If no op is specified, then "\$eq" is assumed. Additionally, the "\$oid" operator can be used to specify that a value should be treated as a Mongo record identifier.

The "\$in" and "\$nin" are also ops, but the corresponding value is a vector. They test if the record is in or not in the specified value. If the value is vector valued, and no operator is specified it defaults to "\$in".

The function buildJQuery processes each of its arguments, adding them onto the query document. The rawfields argument adds the fields onto the document without further processing. It is useful for control arguments like "\$limit" and "\$sort".

Value

The function buildJQuery returns a unicode string which contains the JSON query document. The function buildJQterm returns a unicode string with just one field in the query document.

Author(s)

Russell Almond

References

The MongoDB 4.0 Manual: <https://docs.mongodb.com/manual/>

See Also

[as.json](#), [parseMessage](#), [getOneRec](#), [getManyRecs](#) mongo

Examples

```
## Low level test of the JQterm possibilities for fields.

stopifnot(buildJQterm("uid", "Fred")=='"uid": "Fred"')
stopifnot(buildJQterm("uid", c("Phred", "Fred"))=='"uid": {"$in": ["Phred", "Fred"]}\'')
time1 <- as.POSIXct("2018-08-16 19:12:19 EDT")
stopifnot(buildJQterm("time", time1)=='"time": {"$date": 1534461139000}\'')
time1l <- as.POSIXlt("2018-08-16 19:12:19 EDT")
stopifnot(buildJQterm("time", time1l)=='"time": {"$date": 1534461139000}\'')
time2 <- as.POSIXct("2018-08-16 19:13:19 EDT")
stopifnot(buildJQterm("time", c(time1, time2))==
  '"time": {"$in": [{"$date": 1534461139000}, {"$date": 1534461199000}]}\'')
stopifnot(buildJQterm("time", c(gt=time1))==
  '"time": { "$gt": {"$date": 1534461139000} }\'')
stopifnot(buildJQterm("time", c(lt=time1))==
  '"time": { "$lt": {"$date": 1534461139000} }\'')
stopifnot(buildJQterm("time", c(gte=time1))==
  '"time": { "$gte": {"$date": 1534461139000} }\'')
stopifnot(buildJQterm("time", c(lte=time1))==
  '"time": { "$lte": {"$date": 1534461139000} }\'')
stopifnot(buildJQterm("time", c(ne=time1))==
  '"time": { "$ne": {"$date": 1534461139000} }\'')
stopifnot(buildJQterm("time", c(eq=time1))==
  '"time": { "$eq": {"$date": 1534461139000} }\'')
stopifnot(buildJQterm("time", c(gt=time1, lt=time2))==
  '"time": { "$gt": {"$date": 1534461139000}, "$lt": {"$date": 1534461199000} }\'')
stopifnot(buildJQterm("count", c(nin=1, 2:4))==
  '"count": {"$nin": [1, 2, 3, 4]}\'')
stopifnot(buildJQterm("count", c("in"=1, 2:4))==
  '"count": {"$in": [1, 2, 3, 4]}\'')
stopifnot(buildJQterm("count", c(ne=1, ne=5))==
  '"count": { "$ne": 1, "$ne": 5 }\'')

## Some Examples of buildJQuery on complete queries.
```

```

stopifnot(buildJQuery(app="default",uid="Phred")==
  '{ "app":"default", "uid":"Phred" }')
stopifnot(buildJQuery("_id"=c(oid="123456789"))==
  '{ "_id":{ "$oid":"123456789" } }')
stopifnot(buildJQuery(name="George",count=c(gt=3,lt=5))==
  '{ "name":"George", "count":{ "$gt":3, "$lt":5 } }')
stopifnot(buildJQuery(name="George",count=c(gt=3,lt=5),
  rawfields=c('$limit':1,'$sort':{timestamp:-1}))==
  '{ "name":"George", "count":{ "$gt":3, "$lt":5 }, "$limit":1, "$sort":{timestamp:-1} }')

## Queries on IDs need special handling
stopifnot(buildJQuery("_id"=c(oid="123456789abcdef"))==
  '{ "_id":{ "$oid":"123456789abcdef" } }')

```

CaptureListener-class *Class* "CaptureListener"

Description

This listener simply takes its messages and adds them to a list. It is mainly used for testing the message system.

Details

This listener simply takes all messages and pushes them onto the messages field. The messages field is the complete list of received messages, most recent to most ancient. The method `lastMessage()` returns the most recent message.

Extends

This class implements the [Listener](#) interface.

All reference classes extend and inherit methods from "[envRefClass](#)".

Methods

isListener signature(x = "CaptureListener"): returns true.

receiveMessage signature(x = "CaptureListener"): If the message is in the messSet, it adds the message to the message list. (See details)

Fields

messages: Object of class list the list of messages in reverse chronological order.

Class-Based Methods

lastMessage(): Returns the most recent message.

receiveMessage(mess): Does the work of inserting the message. See Details.

initialize(messages, ...): Sets the default values for the fields.

Author(s)

Russell Almond

References

This is an example of the observer design pattern. https://en.wikipedia.org/wiki/Observer_pattern.

See Also

[Listener](#), [P4Message](#), [CaptureListener](#), [UpdateListener](#), [UpsertListener](#), [InjectionListener](#), [mongo](#)

Examples

```
mess1 <- P4Message(app="default",uid="Phred",context="Down Hill",
  sender="EABN",mess="Statistics",
  details=list("Physics_EAP"=0.5237,"Physics_Mode"="High"))

cl <- CaptureListener()
receiveMessage(cl,mess1)
stopifnot(all.equal(mess1,cl$lastMessage()))
```

getOneRec

Fetches Messages from a Mongo databas

Description

This function fetches [P4Message](#) objects from a [mongo](#) database. The message parser is passed as an argument, allowing it to fetch other kinds of objects than P4Messages. The function [getManyRecs](#) retrieves all matching objects and the function [getOneRec](#) retrieves the first matching object.

Usage

```
getOneRec(jquery, col, parser, sort = c(timestamp = -1))
getManyRecs(jquery, col, parser, sort = c(timestamp = 1), limit=0)
```

Arguments

jquery	A string providing a Mongo JQuery to select the appropriate records. See buildJQuery .
col	A mongo collection object to be queried.
parser	A function which will take the list of fields returned from the database and build an appropriate R object. See parseMessage .
sort	A named numeric vector giving sorting instructions. The names should correspond to fields of the objects, and the values should be positive or negative one for increasing or decreasing order. Use the value NULL to leave the results unsorted.
limit	A numeric scalar giving the maximum number of objects to retrieve. If 0, then all objects matching the query will be retrieved.

Details

This function assumes that a number of objects (usually, but not necessarily subclasses of [P4Message](#) objects) have been stored in a Mongo database. The `col` argument is the [mongo](#) object in which they are stored. These functions retrieve the selected objects.

The first argument should be a string containing a JSON query document. Normally, these are constructed through a call to [buildJQuery](#).

The query is used to create an iterator over JSON documents stored in the database. At each round, the iterator extracts the JSON document as a (nested) list structure. This is passed to the `parser` function to build an object of the specified type. See the [parseMessage](#) function for an example parser.

The sorting argument controls the way the returned list of objects is sorted. This should be a numeric vector with names giving the field for sorting. The default values `c("timestamp"=1)` and `c("timestamp"=-1)` sort the records in ascending and descending order respectively. In particular, the default value for `getOneRec` means that the most recent value will be returned. The defaults assume that "timestamp" is a field of the stored object. To suppress sorting of outputs, use NULL as the argument to `sort`.

Value

The function `getOneRec` returns an object whose type is determined by the output of the parser function. If [parseMessage](#) is used, this will be a [P4Message](#) object.

The function `getManyRecs` returns a list of object whose type is determined by the output of the parser function.

Author(s)

Russell Almond

References

The MongoDB 4.0 Manual: <https://docs.mongodb.com/manual/>

See Also

[saveRec](#), [parseMessage](#), [getOneRec](#), [getManyRecs](#) mongo

Examples

```
## Not run:
## Requires Mongo test database to be set up.

m1 <- P4Message("Fred","Task1","PP","Task Done",
  details=list("Selection"="B"))
m2 <- P4Message("Fred","Task1","EI","New Obs",
  details=list("isCorrect"=TRUE,"Selection"="B"))
m3 <- P4Message("Fred","Task1","EA","New Stats",
  details=list("score"=1,"theta"=0.12345,"noitems"=1))

testcol <- mongo("Messages",
  url="mongodb://test:secret@127.0.0.1:27017/test")
## Mongodb is the protocol
## user=test, password =secret
## Host = 127.0.0.1 -- localhost
## Port = 27017 -- Mongo default
## db = test
## collection = Messages
## collection = Messages
## Execute in Mongo Shell
## db.createUser({
## ... user: "test",
## ... pwd: "secret",
## ... roles: [{role: "readWrite", db: "test"}]
## ... });

m1 <- saveRec(m1,testcol)
m2 <- saveRec(m2,testcol)
m3 <- saveRec(m3,testcol)

m1@data$time <- list(tim=25.4,units="secs")
m1 <- saveRec(m1,testcol)

## Note use of oid keyword to fetch object by Mongo ID.
m1a <- getOneRec(buildJQuery("_id"=c(oid=m1@"_id")),testcol,parseMessage)
stopifnot(all.equal(m1,m1a))

m123 <- getManyRecs(buildJQuery(uid="Fred"),testcol,parseMessage)
m23 <- getManyRecs(buildJQuery(uid="Fred",sender=c("EI","EA")),
  testcol,parseMessage)
m321 <- getManyRecs(buildJQuery(uid="Fred",timestamp=c(lte=Sys.time())),
  testcol,parseMessage,sort=c(timestamp=-1))
getManyRecs(buildJQuery(uid="Fred",
  timestamp=c(gte=Sys.time()-as.difftime(1,units="hours"))),
```

```

        testcol,parseMessage)

## End(Not run)

```

```

InjectionListener-class
  Class "InjectionListener"

```

Description

This listener takes messages that match its incoming set and inject them into another Mongo database (presumably a queue for another service).

Details

The database is a [mongo](#) collection identified by `dburi`, `dbname` and `colname` (collection within the database). The `mess` field of the [P4Message](#) is checked against the applicable messages in `messSet`. If it is there, then the message is inserted into the collection.

Extends

This class implements the [Listener](#) interface.
All reference classes extend and inherit methods from "[envRefClass](#)".

Methods

isListener signature(`x = "InjectionListener"`): returns true.
receiveMessage signature(`x = "InjectionListener"`): If the message is in the `messSet`, it saves the message to the database. (See details)

Fields

sender: Object of class character which is used as the sender field for the message.
dbname: Object of class character giving the name of the Mongo database
dburi: Object of class character giving the url of the Mongo database.
colname: Object of class character giving the column of the Mongo database.
messSet: A vector of class character giving the name of messages which are sent to the database. Only messages for which `mess(mess)` is an element of `messSet` will be inserted.
db: Object of class MongoDB giving the database. Use `messdb()` to access this field to make sure it has been set up.

Class-Based Methods

messdb(): Accessor for the database collection. Initializes the connection if it has not been set up.
receiveMessage(mess): Does the work of inserting the message. See Details.
initialize(sender, dbname, dburi, colname, messSet, ...): Sets default values for fields.

Author(s)

Russell Almond

References

This is an example of the observer design pattern. https://en.wikipedia.org/wiki/Observer_pattern.

See Also

[Listener](#), [P4Message](#), [InjectionListener](#), [UpdateListener](#), [UpsertListener](#), [CaptureListener](#), [mongo](#)

Examples

```
## Not run:

mess1 <- P4Message(app="default",uid="Phred",context="Down Hill",
  sender="EIEvent",mess="New Observables",
  details=list(trophy="gold",solvedtime=10))
ilwind <- InjectionListener(sender="EIEvent",messSet="New Observables")
receiveMessage(ilwind,mess1)

## End(Not run)
```

Listener

A listener is an object which can receive a message.

Description

A *listener* is an object that takes on the observer or listener role in the the listener (or observer) design pattern. A listener will register itself with a speaker, and when the speaker sends a message it will act accordingly. The `receiveMessage` generic function must be implemented by a listener. It is called when the speaker wants to send a message.

Usage

```
receiveMessage(x, mess)
isListener(x)
## S4 method for signature 'ANY'
isListener(x)
```

Arguments

`x` A object of the virtual class `Listener`.

`mess` A `P4Message` which is being transmitted.

Details

The `Listener` class is a virtual class. Any object can become a listener by giving it a method for `receiveMessage`. The message is intended to be a subclass of `P4Message`, but in practice, no restriction is placed on the type of the message.

As `Listener` is a virtual class, it does not have a formal definition. Instead the generic function `isListener` is used to test if the object is a proper listener or not. The default method checks for the presence of a `receiveMessage` method. As this might not work properly with S3 objects, an object can also register itself directly by setting a method for `isListener` which returns true.

Typically, a listener will register itself with the speaker objects. For example the `ListenerSet$addListener` method adds itself to a list of listeners maintained by the object. When the `ListenerSet$notifyListeners` method is called, the `receiveMessage` method is called on each listener in the list.

Value

The `isListener` function should return `TRUE` or `FALSE`, according to whether or not the object follows the listener protocol.

The `receiveMessage` function is typically invoked for side effects and it may have any return value.

Author(s)

Russell Almond

References

https://en.wikipedia.org/wiki/Observer_pattern

See Also

Implementing Classes: `CaptureListener`, `UpdateListener`, `UpsertListener`, `InjectionListener`,

Related Classes: `ListenerSet`, `P4Message`

Examples

```
## Not run: ## Requires Mongo database set up.
MyListener <- setClass("MyListener", slots=c("name"="character"))
setMethod("receiveMessage", "MyListener",
  function(x,mess)
    cat("I (" ,x@name,") just got the message ",mess(mess),"\n"))

lset <-
ListenerSet$new(sender="Other", dburi="mongodb://localhost",
  colname="messages")
lset$addListener("me", MyListener())

mess1 <- P4Message("Fred", "Task 1", "Evidence ID", "Scored Response",
  as.POSIXct("2018-11-04 21:15:25 EST"),
  list(correct=TRUE, selection="D"))
```



```

mess2 <- P4Message("Fred", "Task 2", "Evidence ID", "Scored Response",
  as.POSIXct("2018-11-04 21:17:25 EST"),
  list(correct=FALSE, seletion="D"))

lset$notifyListeners(mess1)

lset$removeListener("me")

notifyListeners(lset, mess2)

## End(Not run)

```

ListenerConstructors *Constructors for Listener Classes*

Description

These functions create objects of class [CaptureListener](#), [UpdateListener](#), [UpsertListener](#), and [InjectionListener](#).

Usage

```

CaptureListener(messages = list(), ...)
InjectionListener(sender = "sender", dbname = "test",
  dburi = "mongodb://localhost",
  messSet = character(), colname = "Messages", ...)
UpdateListener(dbname = "test", dburi = "mongodb://localhost",
  messSet = character(), colname = "Messages", targetField = "data",
  qfields = c("app", "uid"), jsonEncoder = "unparseData", ...)
UpsertListener(sender = "sender", dbname = "test",
  dburi = "mongodb://localhost",
  messSet = character(), colname = "Messages",
  qfields = c("app", "uid"), ...)

```

Arguments

messages	A list into which to add the messages.
sender	A character value used as the sender field of the message.
dbname	A character value giving the name of the database in which to put the message. See mongo .
dburi	A character vector giving the URI for the database. See mongo .
messSet	A character vector giving the message values of the messages that will be processed. Messages whose mess value are not in this list will be ignored by this listener.

colname	The name of the database column into which the messages will be sent. See mongo .
targetField	The name of the field that will be modified in the database by the UpdateListener .
jsonEncoder	A function that will be used to encode the data object as JSON before it is set. See UpdateListener .
qfields	The fields that will be used as a key when trying to find matching messages in the database for the UpsertListener .
...	Other arguments passed to the constructor.

Details

The functions are as follows:

[CaptureListener](#) Creates an object of class [CaptureListener](#) which stores the messages in a list.

[InjectionListener](#) Creates an object of class [InjectionListener](#) which inserts the message into the designated database.

[UpdateListener](#) Creates an object of class [UpdateListener](#) which updates the designated field.

[UpsertListener](#) Creates an object of class [UpsertListener](#) which insert or replaces the message in the designated collection.

See the class descriptions for more information.

Value

An object of the virtual class [Listener](#).

Author(s)

Russell Almond

References

This is an example of the observer design pattern. https://en.wikipedia.org/wiki/Observer_pattern.

See Also

[Listener](#), [P4Message](#), [UpsertListener](#), [UpdateListener](#), [CaptureListener](#), [InjectionListener](#), [ListenerSet](#), [mongo](#)

Examples

```
c1 <- CaptureListener()

il <- InjectionListener(sender="EI_app",
  dbname="EARecords",dburi="mongodb://localhost",
  colname="EvidenceSets",messSet="New Observables")
```

```

upsl <- UpsertListener(sender="EI_app",
  dbname="EARecords",dburi="mongodb://localhost",
  colname="LatestEvidence",messSet="New Observables",
  qfields=c("app","uid"))

trophy2json <- function(dat) {
  paste('{', '"trophyHall"', ':', '[',
    paste(
      paste('{"',names(dat$trophyHall),'":',dat$trophyHall,'"}',
        sep=""), collapse=" "), ']',',',
      '"bankBalance"', ':', dat$bankBalance, '}')
}
ul <- UpdateListener(dbname="Proc4",dburi="mongodb://localhost",
  colname="Players",targetField="data",
  messSet=c("Money Earned","Money Spent"),
  jsonEncoder="trophy2json")

```

ListenerSet-class *Class "ListenerSet"*

Description

This is a “mix-in” class that adds a speaker protocol to an object, which is complementary to the [Listener](#) protocol. This object maintains a list of listeners. When the `notifyListeners` method is called, it notifies each of the listeners by calling the `receiveMessage` method on the listener.

Extends

All reference classes extend and inherit methods from `"envRefClass"`.

Methods

isListener signature(`x = "ListenerSet"`): Returns true, as the `ListenerSet` follows the listener protocol.

receiveMessage signature(`x = "ListenerSet"`): A synonym for `notifyListeners`.

notifyListeners signature(`sender = "ListenerSet"`): A synonym for the `notifyListeners` internal method.

Protocol

The key to this class is the `notifyListeners` method. This method should receive as its argument a [P4Message](#) object. (The protocol is fairly robust to the type of message and the type is not enforced. In fact, any object which has a `as.jlist` method should work.)

When the notifier is called it performs the following functions:

1. It saves the message to the collection represented by `messdb()`.

2. It calls the `receiveMessage` method on each of the objects in the listener list.
3. It logs the messages sent using the `flog.logger`, in the "Proc4" logger. The sending of the messages is logged at the "INFO" level, and the actual message at the "DEBUG" level.

In addition, the ListenerSet maintains a named list of `Listener` objects (that is, objects that have a `receiveMessage` method). The methods `addListener` and `removeListener` maintain this list.

Fields

`sender`: Object of class `Character`: the name of the source of the messages.

`dburi`: Object of class `Character`: the URI for the `mongo` database.

`colname`: Object of class `Character`: the name of the column in which messages should be logged.

`listeners`: A named list of `Listener` objects, that is objects for which `isListener` is true.

`db`: Object of class `MongoDB` which is a handle to the collection where messages are logged, or NULL if the log database has not been initialized. As the database may have not been initialized, programs should call the `messdb()` method which will open the database connection if it is not yet open.

Class-Based Methods

`notifyListeners(mess)`: This method calls `receiveMessage` on all of the listeners. See Protocol section above.

`addListener(name, listener)`: This method adds a listener to the list.

`initialize(sender, dburi, listeners, colname, ...)`: This creates the listener. Note, this does not initialize the database collection. Call `messdb()` to initialize the collection.

`removeListener(name)`: This removes a listener from the collection by its name.

`messdb` signature(): Returns the `mongo` database collection to which to log messages. Creates the column if it has not been initialized.

Note

The `notifyListeners` method uses the `flog.logger` protocol. In particular, it logs sending the message at the "INFO" level, and the actual message sent at the "DEBUG" level. In particular, setting `flog.threshold(DEBUG, name="Proc4")` will turn on logging of the actual message and `flog.threshold(WARN, name="Proc4")` will turn off logging of the message sent messages.

It is often useful to redirect the Proc4 logger to a log file. In addition, changing the logging format to JSON, will allow the message to be recovered. Thus, try `flog.layout(layout.json, name="Proc4")` to activate logging in JSON format.

Author(s)

Russell Almond

References

https://en.wikipedia.org/wiki/Observer_pattern

See Also

[Listener](#), [receiveMessage](#), [notifyListeners](#), [flog.logger](#), [mongo](#), [P4Message](#)
 Listener Classes. [CaptureListener](#), [UpdateListener](#), [UpsertListener](#), [InjectionListener](#),

Examples

```
showClass("ListenerSet")
```

markAsProcessed	<i>Functions for manipulating entries in a message queue.</i>
-----------------	---

Description

A collection of message objects can serve as a queue: they can be sorted by their [timestamp](#) and then processed one at a time. The function `markAsProcessed` sets the processed flag on the message and then saves it back to the database. The function `processed` returns the processed flag.

The function `markAsError` attaches an error to the message and saves it. The function `processingError` returns the error (if it exists).

Usage

```
markAsProcessed(mess, col)
markAsError(mess, col, e)
processed(x)
processingError(x)
```

Arguments

<code>mess</code>	An object of class P4Message to be modified.
<code>col</code>	A mongo collection where the message queue is stored.
<code>e</code>	An object indicating the error occurred. Note this could be either a string giving the error message of an object of an error class. In either case, it is converted to a string before saving.
<code>x</code>	A message object to be queried.

Details

A [mongo](#) collection of messages can serve as a queue. As messages are added into the queue, the processed flag is set to false. The handler then fetches them one at a time (sorting by the timestamp). It then does whatever action is required to handle the message. Then the function `markAsProcessed` is called to set the processed flag to true and update the entry in the database.

A typical query (this example is taken from the [EIEvent-package](#)) is `getOneRec(buildjQuery(app=app, processed=FALSE))`. Here the `buildjQuery` call searches for unprocessed events corresponding to a particular `app`. The `sort` argument ensures that the records will be sorted in ascending order according to [timestamp](#). In

this example `eventdb()` in an internal method which returns the event collection, and `parseEvent` create event objects (which are a subclass of `P4Message`).

Some thought needs to be given as to how to handle errors. The function `markAsError` attaches an error object to the message and then updates it in the collection. The error object is turned into a string (using `toString`) before saving, so it can be any type of R object (in particular, it could be either the error message or the actual error object thrown by the function).

Value

The functions `markAsProcessed` and `markAsError` both return the modified message.

The function `processed` returns a logical value indicating whether or not the message has been processed.

The function `processingError` returns the error object attached to the message, or `NULL` if no error object is returned. Note that the error object could be of any type.

Note

The functions `markAsProcessed` and `markAsError` do not save the complete record, they just update the `processed` or `error` field.

There was a bug in early version of this function, which caused the error to be put into a list when it was saved. This needs to be carefully checked.

Author(s)

Russell Almond

See Also

[P4Message](#), [getOneRec](#), [buildjQuery](#), [timestamp](#)

Examples

```
col <- mongo("TestMessages")
col$remove('{}') # Clear out anything else in queue.
mess1 <- P4Message("One", "Adder", "Tester", "Add me", app="adder",
  details=list(x=1,y=1))
mess2 <- P4Message("Two", "Adder", "Tester", "Add me", app="adder",
  details=list(x="two",y=2))
mess1 <- saveRec(mess1,col,FALSE)
mess2 <- saveRec(mess2,col,FALSE)

mess <- getOneRec(buildjQuery(app="adder", processed=FALSE),
  col, parseMessage, sort = c(timestamp = 1))
while (!is.null(mess)) {
  print(details(mess))
  out <- try(print(details(mess)$x+details(mess)$y))
  if (is(out,'try-error'))
    mess <- markAsError(mess,col,out)
  mess <- markAsProcessed(mess,col)
}
```

```

mess <- getOneRec(buildJQuery(app="adder", processed=FALSE),
  col, parseMessage, sort = c(timestamp = 1))
}

mess1a <- getOneRec(buildJQuery(app="adder", uid="One"), col, parseMessage)
mess2a <- getOneRec(buildJQuery(app="adder", uid="Two"), col, parseMessage)
stopifnot(processed(mess1a), processed(mess2a),
  is.null(processingError(mess1a)),
  grepl("Error", processingError(mess2a)))

```

MongoDB-class

Class "MongoDB"

Description

An S4-style class for the [mongo](#) class. Note that this is actually a class union, allowing for NULL if the database is not yet initialized.

Objects from the Class

NULL is an object of this class.

Objects of this class can be created with calls to [mongo](#).

Methods

No methods defined with class "MongoDB" in the signature.

Note

The original [mongo](#) class is an S3 class. Rather than just call [setOldClass](#) and exposing that, I've exposed a class union ([setClassUnion](#)) with the [mongo](#) class and NULL.

A typical usage would have this type used in the slot of an object, which would initialize the value to NULL, and then set it to a [mongo](#) object when the database connection is opened.

Author(s)

Russell Almond

See Also

[ListenerSet](#), [mongo](#)

Examples

```

showClass("MongoDB")
showClass("ListenerSet")
lset <- ListenerSet$new()
lset$messdb

```

notifyListeners	<i>Notifies listeners that a new message is available.</i>
-----------------	--

Description

This is a generic function for objects that send [P4Message](#) objects. When this function is called, the message is sent to the listeners; that is, the [receiveMessage](#) function is called on the listener objects. Often, this protocol is implemented by having the sender include a [ListenerSet](#) object.

Usage

```
notifyListeners(sender, mess)
```

Arguments

sender	An object which sends messages.
mess	A P4Message to be sent.

Value

Function is invoked for its side effect, so return value may be anything.

Author(s)

Russell Almond

See Also

[P4Message](#), [Listener](#), [ListenerSet](#)

Examples

```
## Not run: ## Requires Mongo database set up.
MyListener <- setClass("MyListener", slots=c("name"="character"))
setMethod("receiveMessage", "MyListener",
  function(x, mess)
    cat("I (" , x@name, ") just got the message ", mess(mess), "\n"))

lset <-
ListenerSet$new(sender="Other", dburi="mongodb://localhost",
  colname="messages")
lset$addListener("me", MyListener())

mess1 <- P4Message("Fred", "Task 1", "Evidence ID", "Scored Response",
  as.POSIXct("2018-11-04 21:15:25 EST"),
  list(correct=TRUE, selection="D"))

mess2 <- P4Message("Fred", "Task 2", "Evidence ID", "Scored Response",
```



```

as.POSIXct("2018-11-04 21:17:25 EST"),
list(correct=FALSE,selection="D"))

lset$notifyListeners(mess1)

lset$removeListener("me")

notifyListeners(lset,mess2)

## End(Not run)

```

P4Message

Constructor and accessors for P4 Messages

Description

The function `P4Message()` creates an object of class "`P4Message`". The other functions access fields of the messages.

Usage

```

P4Message(uid, context, sender, mess, timestamp = Sys.time(), details = list(), app = "default", process)
m_id(x)
app(x)
uid(x)
mess(x)
context(x)
sender(x)
timestamp(x)
details(x)
## S4 method for signature 'P4Message'
toString(x,...)
## S4 method for signature 'P4Message'
show(object)
## S3 method for class 'P4Message'
all.equal(target, current, ..., checkTimestamp = FALSE,
          check_ids = TRUE)

```

Arguments

<code>uid</code>	A character object giving an identifier for the user or student.
<code>context</code>	A character object giving an identifier for the context, task, or item.
<code>sender</code>	A character object giving an identifier for the sender. In the four-process architecture, this should be one of "Activity Selection Process", "Presentation Process", "Evidence Identification Process", or "Evidence Accumulation Process".
<code>mess</code>	A character object giving a message to be sent.

timestamp	The time the message was sent.
details	A list giving the data to be sent with the message.
app	An identifier for the application using the message.
processed	A logical flag: true if the message has been processed and false otherwise.
x	A message object to be queried, or converted to a string.
...	Additional arguments for <code>show</code> or <code>all.equal</code> .
object	A message object to be converted to a string.
target	A P4Message to compare.
current	A P4Message to compare.
checkTimestamp	Logical flag. If true, the timestamps are compared as part of the equality test.
check_ids	Logical flag. If true, the database ids are compared as part of the equality test.

Details

This class represents a semi-structured data object with certain header fields which can be indexed plus the free-form `details()` field which contains the body of the message. It can be serialized in JSON format (using `jsonlite-package`) or saved in the Mongo database (using the `mongoLite` package).

Using the public methods, the fields can be read but not set. The generic functions are exported so that other object can extend the P4Message class. The `m_id` function accesses the mongo ID of the object (the `_id` field).

The function `all.equal.P4Message` checks two messages for identical contents. The flags `checkTimestamp` and `check_ids` can be used to suppress the checking of those fields. If timestamps are checked, they must be within .1 seconds to be considered equal.

Value

An object of class `P4Message`.

The `app()`, `uid()`, `context()`, `sender()`, and `mess()` functions all return a character scalar. The `timestamp()` function returns an object of type `POSIXt` and the `details()` function returns a list.

The function `all.equal.P4Message` returns either 'TRUE' or a vector of mode "character" describing the differences between `target` and `current`.

Author(s)

Russell G. Almond

References

Almond, R. G., Steinberg, L. S., and Mislevy, R.J. (2002). Enhancing the design and delivery of Assessment Systems: A Four-Process Architecture. *Journal of Technology, Learning, and Assessment*, **1**, <http://ejournals.bc.edu/ojs/index.php/jtla/article/view/1671>.

See Also

`P4Message` — class `parseMessage`, `saveRec`, `getOneRec`

Examples

```

mess1 <- P4Message("Fred","Task 1","Evidence ID","Scored Response",
  as.POSIXct("2018-11-04 21:15:25 EST"),
  list(correct=TRUE,selection="D"))
stopifnot(
  app(mess1) == "default",
  uid(mess1) == "Fred",
  context(mess1) == "Task 1",
  sender(mess1) == "Evidence ID",
  mess(mess1) == "Scored Response",
  timestamp(mess1) == as.POSIXct("2018-11-04 21:15:25 EST"),
  details(mess1)$correct==TRUE,
  details(mess1)$selection=="D"
)

mess2 <- P4Message("Fred","Task 1","Evidence ID","Scored Response",
  as.POSIXct("2018-11-04 21:15:25 EST"),
  list(correct=FALSE,selection="E"))
all.equal(mess1,mess2)
stopifnot(!isTRUE(all.equal(mess1,mess2)))

```

P4Message-class

Class "P4Message"

Description

This is a message which is sent from one process to another in the four process architecture. There are certain header fields which are used to route the message and the details field which is an arbitrary list of data which will can be used by the receiver.

This class represents a semi-structured data object with certain header fields which can be indexed plus the free-form `details()` field which contains the body of the message. It can be serialized in JSON format (using [as.json](#)) or saved in the Mongo database (using the [mongolite](#) package).

Objects from the Class

Objects can be created by calls to the [P4Message\(\)](#) function.

Message Queues

Because all messages have a processed flag and a timestamp, a message collection becomes a queue. Simply search for the message with the earliest timestamp with `processed(mess)==FALSE` and excute that. Then sets processed equal to true using [markAsProcessed](#).

If an error occurs during processing, the error can be associated with the message by setting the `pError` field using [markAsError](#).

Slots

- _id**: Used for internal database ID.
- app**: Object of class "character" which specifies the application in which the messages exit.
- uid**: Object of class "character" which identifies the user (student).
- context**: Object of class "character" which identifies the context, task, or item.
- sender**: Object of class "character" which identifies the sender. This is usually one of "Presentation Process", "Evidence Identification Process", "Evidence Accumulation Process", or "Activity Selection Process".
- mess**: Object of class "character" a general title for the message context.
- timestamp**: Object of class "POSIXt" which gives the time at which the message was generated.
- data**: Object of class "list" which contains the data to be transmitted with the message.
- processed**: A logical value: true if the message has been processed, and false if the message is still in queue to be processed. This field is set with `markAsProcessed`.
- pError**: If a error occurs while processing this event, information about the error can be stored here, either as an R object, or as an R object of class error (or any class). This field is accessed with `processingError` and set with `markAsError`.

Methods

- m_id** signature(x = "ANY"): returns the `_id` field, the database ID.
- app** signature(x = "P4Message"): returns the `app` field.
- as.jlist** signature(obj = "P4Message", ml = "list"): coerces the object into a list to be processed by `toJSON`.
- as.json** signature(x = "P4Message"): Coerces the message into a JSON string.
- context** signature(x = "P4Message"): returns the `context` field.
- details** signature(x = "P4Message"): returns the data associated with the message as a list.
- mess** signature(x = "P4Message"): returns the `message` field.
- sender** signature(x = "P4Message"): returns the `sender` field.
- timestamp** signature(x = "P4Message"): returns the `timestamp`.
- uid** signature(x = "P4Message"): returns the user ID.
- processing** signature(x = "P4Message"): returns a logical value indicated whether or not the message has been marked as processed.
- processingError** signature(x = "P4Message"): if an error occurred while processing this message, returns a value describing the error. Otherwise, returns NULL.

Author(s)

Russell G. Almond

References

- Almond, R. G., Steinberg, L. S., and Mislevy, R.J. (2002). Enhancing the design and delivery of Assessment Systems: A Four-Process Architecture. *Journal of Technology, Learning, and Assessment*, **1**, <http://ejournals.bc.edu/ojs/index.php/jtla/article/view/1671>.

See Also

[P4Message\(\)](#) — constructor [parseMessage](#), [saveRec](#), [getOneRec](#)

Examples

```
showClass("P4Message")
```

parseMessage	<i>Converts a JSON object into a P4 Message</i>
--------------	---

Description

The `parseMessage` function is a parser to use with the [getOneRec](#) and [getManyRecs](#) database query functions. This function will convert the documents fetched from the database into [P4Message](#) objects. The function `parseData` is a helper function for parsing the data field of the [P4Message](#) object, and `unparseData` is its inverse.

Usage

```
parseMessage(rec)
cleanMessageJlist(rec)
parseData(messData)
parseSimpleData(messData)
unparseData(data, serialize=TRUE)
```

Arguments

<code>rec</code>	A named list containing JSON data.
<code>messData</code>	A named list containing JSON data.
<code>data</code>	An R object to be serialized.
<code>serialize</code>	A logical flag. If true, serializeJSON is used to protect the data field (and other objects which might contain complex R code).

Details

The `$iterator()` method of the [mongo](#) object returns a list containing the fields of the JSON object with a *name=value* format. This is the `rec` argument. The `parseMessage` function takes the fields of the JSON object and uses them to populate a corresponding [P4Message](#) object. Usually, some cleaning is done first (e.g., to check the argument types and insert default values). The function `cleanMessageJlist` does that cleaning for the common fields of the [P4Message](#) object, so subclasses [P4Message](#) can inherit the parsing for the common message fields.

The data field needs extra care as it could contain arbitrary R objects. There are two strategies for handling the data field. First, use [serializeJSON](#) to turn the data field into a slob (string large object), and [unserializeJSON](#) to decode it. This strategy should cover most special cases, but does not result in easily edited JSON output. Second, recursively apply [unboxer](#) and use the function `parseSimpleMessage` to undo the coding. This results in output which should be more human readable, but does not handle objects (either S3 or S4). It also may fail on more complex list structures.

Value

The function `parseMessage` returns a [P4Message](#) object populated with fields from the `rec` argument. The function `cleanMessageJList` returns the cleaned `rec` argument.

The function `unparseData` returns a JSON string representing the data. The functions `parseData` and `parseSimpleData` return a list containing the data.

Note

I hit the barrier pretty quickly with trying to unparse the data manually. In particular, it was impossible to tell the difference between a list of integers and a vector of integers (or any other storage type). So, I went with the serialize solution.

The downside of the serial solution is that it stores the data field as a slob. This means that data values cannot be indexed. If this becomes a problem, a more complex implementation may be needed.

Author(s)

Russell Almond

See Also

[as.jlist](#), [getOneRec](#), [getManyRecs](#), [P4Message](#)
[mongo](#), [serializeJSON](#), [unserializeJSON](#)

Examples

```
m1 <- P4Message("Fred", "Task1", "PP", "Task Done",
  details=list("Selection"="B"))
m2 <- P4Message("Fred", "Task1", "EI", "New Obs",
  details=list("isCorrect"=TRUE, "Selection"="B"))
m3 <- P4Message("Fred", "Task1", "EA", "New Stats",
  details=list("score"=1, "theta"=0.12345, "noitems"=1))

ev1 <- P4Message("Phred", "Level 1", "PP", "Task Done",
  timestamp=as.POSIXct("2018-12-21 00:01:01"),
  details=list("list"=list("one"=1, "two"=1:2), "vector"=(1:3)))

m1a <- parseMessage(ununboxer(as.jlist(m1, attributes(m1))))
m2a <- parseMessage(ununboxer(as.jlist(m2, attributes(m2))))
m3a <- parseMessage(ununboxer(as.jlist(m3, attributes(m3))))

ev1a <- parseMessage(ununboxer(as.jlist(ev1, attributes(ev1))))

stopifnot(all.equal(m1, m1a),
  all.equal(m2, m2a),
  all.equal(m3, m3a),
  all.equal(ev1, ev1a))
```

```

## Not run: #Requires test DB setup.
testcol <- mongo("Messages",
                url="mongodb://test:secret@127.0.0.1:27017/test")
## Mongodb is the protocol
## user=test, password =secret
## Host = 127.0.0.1 -- localhost
## Port = 27017 -- Mongo default
## db = test
## collection = Messages
testcol$remove('{}') ## Clear everything for test.

m1 <- saveRec(m1,testcol)
m2 <- saveRec(m2,testcol)
m3 <- saveRec(m3,testcol)
ev1 <- saveRec(ev1,testcol)

m1 <- saveRec(m1,testcol)
m1b <- getOneRec(buildJQuery("_id"=c("oid"=m1@"_id")),testcol,parseMessage)
stopifnot(all.equal(m1,m1b))
m23 <- getManyRecs(buildJQuery("uid"="Fred",sender=c("EI","EA")),
                  testcol,parseMessage)
stopifnot(length(m23)==2L)
ev1b <- getOneRec(buildJQuery("uid"="Phred"),
                 testcol,parseMessage)
stopifnot(all.equal(ev1,ev1b))

## End(Not run)

```

saveRec

Saves a P4 Message object to a Mongo database

Description

This function saves an S4 object as a record in a Mongo database. It uses [as.json](#) to convert the object to a JSON string.

Usage

```
saveRec(mess, col, serialize=TRUE)
```

Arguments

mess	The message (object) to be saved.
col	A mongo collection object, produced with a call to mongo() .
serialize	A logical flag. If true, serializeJSON is used to protect the data field (and other objects which might contain complex R code).

Value

Returns the message argument, which may be modified by setting the "_id" field if this is the first time saving the object.

Author(s)

Russell Almond

See Also

[as.json](#), [P4Message](#), [parseMessage](#), [getOneRec](#), [mongo](#)

Examples

```
## Not run: ## Need to set up database or code won't run.
m1 <- P4Message("Fred","Task1","PP","Task Done",
  details=list("Selection"="B"))
m2 <- P4Message("Fred","Task1","EI","New Obs",
  details=list("isCorrect"=TRUE,"Selection"="B"))
m3 <- P4Message("Fred","Task1","EA","New Stats",
  details=list("score"=1,"theta"=0.12345,"noitems"=1))

testcol <- mongo("Messages",
  url="mongodb://test:secret@127.0.0.1:27017/test")
## Mongodb is the protocol
## user=test, password =secret
## Host = 127.0.0.1 -- localhost
## Port = 27017 -- Mongo default
## db = test
## collection = Messages

## Save them back to capture the ID.
m1 <- saveRec(m1,testcol)
m2 <- saveRec(m2,testcol)
m3 <- saveRec(m3,testcol)

## End(Not run)
```


Description

The function `toJSON` converts vectors (which all R objects are) to vectors in the JSON code. The function `jsonlite::unbox` protects the object from this behavior, which makes the fields easier to search and protects against loss of name attributes. The function `unboxer` extends `unbox` to recursively unbox lists (which preserves names). The function `ununbox` removes the unboxing flag and is mainly used for testing parser code.

Usage

```
unboxer(x)
ununboxer(x)
```

Arguments

x Object to be boxed/unboxed.

Details

The `jsonlite::unbox` function does not necessarily preserve the name attributes of elements of the list. In other words the sequence `as.jlist -> toJSON -> fromJSON -> parseMessage` might not be the identity.

The solution is to recursively apply `unbox` to the elements of the list. The function `unboxer` can be thought of as a recursive version of `unbox` which handles the entire tree structure. If `x` is not a list, then `unboxer` and `unbox` are equivalent.

The typical use of this function is defining methods for the `as.jlist` function. This gives the implementer fine control of which attributes of a class should be scalars and vectors.

The function `ununbox` clears the unboxing flag. Its main purpose is to be able to test various parsers.

Value

The function `unboxer` returns the object with the added class `scalar`, which is the `jsonlite` marker for a scalar.

The function `ununboxer` returns the object without the `scalar` class marker.

Warning: Dependence on jsonlite implementation

These functions currently rely on some internal mechanisms of the `jsonlite` package. In particular, it uses the internal function `jsonlite:::as.scalar`, and `ununbox` relies on the “`scalar`” class mechanism.

Note

There is a bug in the way that `POSIXt` classes are handled, `unboxer` fixes that problem.

Author(s)

Russell Almond

See Also

[unbox](#), [toJSON](#), [as.jlist](#), [parseMessage](#)

Examples

```
## as.jlist method shows typical use of unboxer.
getMethod("as.jlist",c("P4Message","list"))

## Use ununboxer to test as.jlist/parseMessage pair.
m4 <- P4Message("Phred","Task1","PP","New Stats",
               details=list("agents"=c("ramp","ramp","lever")))
m4jl <- as.jlist(m4,attributes(m4))
m4a <- parseMessage(ununboxer(m4jl))
stopifnot(all.equal(m4,m4a))
```

UpdateListener-class *Class "UpdateListener"*

Description

This [Listener](#) updates an existing record (in a Mongo collection) for the student (uid), with the contents of the data (details) field of the message.

Details

The database is a [mongo](#) collection identified by dburi, dbname and colname (collection within the database). The mess field of the [P4Message](#) is checked against the applicable messages in messSet. If it is there, then the record in the database corresponding to the qfields (by default app(mess) and uid(mess)) is updated. Specifically, the field targetField is set to details(mess). The function jsonEncoder is called to encode the target field as a JSON object for injection into the database.

Extends

This class implements the [Listener](#) interface.

All reference classes extend and inherit methods from "[envRefClass](#)".

Methods

isListener signature(x = "UpdateListener"): TRUE

receiveMessage signature(x = "UpdateListener"): If the message is in the messSet, it updates the record corresponding to app(mess) and uid(mess) in the database with the contents of details(mess). (See details.)

Fields

- dbname:** Object of class character giving the name of the Mongo database
- dburi:** Object of class character giving the url of the Mongo database.
- colname:** Object of class character giving the column of the Mongo database.
- messSet:** A vector of class character giving the name of messages which are sent to the database. Only messages for which `mess(mess)` is an element of `messSet` will be inserted.
- db:** Object of class MongoDB giving the database. Use `messdb()` to access this field to makes sure it has been set up.
- qfields:** Object of class character giving the names of the fields which should be considered a key for the messages.
- targetField:** Object of class character naming the field which is to be set.
- jsonEncoder:** Object of class character naming a function which will be used to encode `details(mess)` as a JSON object. The default is `unparseData`.

Class-Based Methods

- messdb():** Accessor for the database collection. Initializes the connection if it has not been set up.
- receiveMessage(mess):** Does the work of updating the database. See Details.
- initialize(sender, dbname, dburi, colname, messSet, ...):** Sets default values for fields.

Author(s)

Russell Almond

References

This is an example of the observer design pattern. https://en.wikipedia.org/wiki/Observer_pattern.

See Also

[Listener](#), [P4Message](#), [UpdateListener](#), [InjectionListener](#), [CaptureListener](#), [UpsertListener](#), [mongo](#)

The function `unparseData` is the default encoder.

Examples

```
mess2 <- P4Message(app="default",uid="Phred",context="Down Hill",
  sender="EIEvent",mess="Money Earned",
  details=list(trophyHall=list(list("Down Hill"="gold"),
    list("Stairs"="silver")),
    bankBalance=10))

data2json <- function(dat) {
  toJSON(sapply(dat,unboxer))
}

upwind <- UpdateListener(messSet=c("Money Earned","Money Spent"),
  targetField="data",colname="Players",
```

```

        jsonEncoder="data2json")

receiveMessage(upwind,mess2)

```

UpsertListener-class *Class* "UpsertListener"

Description

This listener takes messages that match its incoming set and inject them into another Mongo database (presumably a queue for another service). If a matching message exists, it is replaced instead.

Details

The database is a [mongo](#) collection identified by `dburi`, `dbname` and `colname` (collection within the database). The `mess` field of the [P4Message](#) is checked against the applicable messages in `messSet`. If it is there, then the message is saved in the collection.

Before the message is saved, the collection is checked to see if another message exists which matches on the fields listed in `qfields`. If this is true, the message in the database is replaced. If not, the message is inserted.

Extends

This class implements the [Listener](#) interface.

All reference classes extend and inherit methods from "[envRefClass](#)".

Methods

isListener signature(`x = "UpsertListener"`): returns true.

receiveMessage signature(`x = "UpsertListener"`): If the message is in the `messSet`, it saves or replaces the message in the database. (See details)

Fields

sender: Object of class character which is used as the sender field for the message.

dbname: Object of class character giving the name of the Mongo database

dburi: Object of class character giving the url of the Mongo database.

colname: Object of class character giving the column of the Mongo database.

qfields: Object of class character giving the names of the fields which should be considered a key for the messages.

messSet: A vector of class character giving the name of messages which are sent to the database. Only messages for which `mess(mess)` is an element of `messSet` will be inserted.

db: Object of class MongoDB giving the database. Use `messdb()` to access this field to make sure it has been set up.

Class-Based Methods

`messdb()`: Accessor for the database collection. Initializes the connection if it has not been set up.

`receiveMessage(mess)`: Does the work of inserting the message. See Details.

`initialize(sender, dbname, dburi, colname, messSet, qfields, ...)`: Sets the default values for the fields.

Author(s)

Russell Almond

References

This is an example of the observer design pattern. https://en.wikipedia.org/wiki/Observer_pattern.

See Also

[Listener](#), [P4Message](#), [UpsertListener](#), [UpdatelListener](#), [CaptureListener](#), [InjectionListener](#), [mongo](#)

Examples

```
## Not run:
mess1 <- P4Message(app="default",uid="Phred",context="Down Hill",
  sender="EABN",mess="Statistics",
  details=list("Physics_EAP"=0.5237,"Physics_Mode"="High"))
ul <- UpsertListener(colname="Statistics",qfields=c("app","uid"),
  messSet=c("Statistics"))
receiveMessage(ul,mess1)

## End(Not run)
```

withFlogging

Invoke expression with errors logged and traced

Description

This is a version of `try` with a couple of important differences. First, error messages are redirected to the log, using the `flog.logger` mechanisms. Second, extra context information can be provided to aid with debugging. Third, stack traces are added to the logs to assist with later debugging.

Usage

```
withFlogging(expr, ..., context = deparse(substitute(expr)), logername = flog.namespace(), tracelevel
```

Arguments

<code>expr</code>	The expression which will be executed.
<code>...</code>	Additional context arguments. Each additional argument should have an explicit name. In the case of an error or warning, the additional context details will be added to the log.
<code>context</code>	A string identifying the context in which the error occurred. For example, it can identify the case which is being processed.
<code>loggername</code>	This is passed as the name argument to <code>flog.logger</code> . It defaults to the package in which the call to <code>withFlogging</code> was made.
<code>tracelevel</code>	A character vector giving the levels of conditions for which stack traces should be added to the log. Should be strings with values "TRACE", "DEBUG", "INFO", "WARN", "ERROR" or "FATAL".

Details

The various processes of the four process assessment design are meant to run as servers. So when errors occur, it is important that they get logged with sufficient detail that they can be reproduced, fixed and added to the test suite to prevent recurrence.

First, signals are caught and redirected to the appropriate `flog.logger` handler. This has several important advantages. First, the output can be directed to various files depending on the origin package. In general, the name of the package should be the name of the logger. So, `flog.appender(appender.file("/var/log/Proc4/EIEvent_log.json"), name="EIEvent")` would log error from the `EIEvent` package to the named file. Furthermore, `flog.layout(layout.json, name="EIEvent")` will cause the log to be in JSON format.

Second, additional context information is logged at the "DEBUG" level when an condition is signaled. The context string is printed along with the error or warning message. This can be used, for example, to provide information about the user and task that was being processed when the condition was signaled. In addition, any of the `...` arguments are printed. This can be used to print information about the message being processed and the initial state of the system, so that the error condition can be reproduced.

Third, if the class of the exception is in the `tracelevel` list, then a stack trace will be logged (at the "DEBUG" level) along with the error. This should aid debugging.

Fourth, in the case of an error or fatal error, an object of class `try-error` (see `try`). Among other things, this guarantees that `withFlogging` will always return control to the next statement.

Value

If `expr` executes successfully (with no errors or fatal errors) then the value of `expr` will be returned. If an error occurs during execution, then an object of class `try-error` will be returned.

Author(s)

Russell Almond

References

The code for executing the stack trace was taken from <https://stackoverflow.com/questions/1975110/printing-stack-trace-and-continuing-after-error-occurs-in-r>

See Also

[try](#), [flog.logger](#), [flog.layout](#), [flog.appender](#)

Examples

```
## Not run:
## Setup to log to file in json format.
flog.appender(appender.file("/var/log/Proc4/Proc4_log.json"),
              name="Proc4")
flog.layout(layout.json,name="EIEvent")

## End(Not run)

xy <- withFlogging(stop("shoes untied"),context="walking",foot="left")
stopifnot(is(xy,"try-error"))

xx <- withFlogging(log(-1))
stopifnot(is.nan(xx))

withFlogging(log(-1),tracelevel=c("ERROR","FATAL"))
```

Index

- *Topic **IO**
 - as.json, 6
- *Topic **classes**
 - CaptureListener-class, 10
 - InjectionListener-class, 14
 - ListenerSet-class, 19
 - MongoDB-class, 23
 - P4Message, 25
 - P4Message-class, 27
 - UpdateListener-class, 34
 - UpsertListener-class, 36
- *Topic **database**
 - buildJQuery, 8
 - getOneRec, 11
 - ListenerConstructors, 17
 - markAsProcessed, 21
 - parseMessage, 29
 - Proc4-package, 2
 - saveRec, 31
- *Topic **debugging**
 - withFlogging, 37
- *Topic **error**
 - withFlogging, 37
- *Topic **interfaces**
 - as.json, 6
- *Topic **interface**
 - buildJQuery, 8
 - getOneRec, 11
 - Listener, 15
 - ListenerConstructors, 17
 - markAsProcessed, 21
 - notifyListeners, 24
 - parseMessage, 29
 - unboxer, 32
- *Topic **objects**
 - Listener, 15
 - notifyListeners, 24
- *Topic **package**
 - Proc4-package, 2
- all.equal, 26
- all.equal.P4Message (P4Message), 25
- app, 21
- app (P4Message), 25
- app, P4Message-method (P4Message-class), 27
- as.jlist, 3, 19, 30, 33, 34
- as.jlist (as.json), 6
- as.jlist, P4Message, list-method (P4Message-class), 27
- as.json, 3, 6, 9, 27, 31, 32
- as.json, ANY-method (as.json), 6
- as.json, P4Message-method (P4Message-class), 27
- attributes, 3
- buildJQterm (buildJQuery), 8
- buildJQuery, 8, 12, 21, 22
- CaptureListener, 4, 11, 15–18, 21, 35, 37
- CaptureListener (ListenerConstructors), 17
- CaptureListener-class, 10
- cleanMessageJlist, 3
- cleanMessageJlist (parseMessage), 29
- context (P4Message), 25
- context, P4Message-method (P4Message-class), 27
- details (P4Message), 25
- details, P4Message-method (P4Message-class), 27
- EABN, 5
- EAEngine, 4
- EIEngine, 4
- EIEvent, 5
- envRefClass, 10, 14, 19, 34, 36
- flog.appender, 39
- flog.layout, 20, 39

- flog.logger, [2](#), [3](#), [5](#), [20](#), [21](#), [37–39](#)
- flog.threshold, [20](#)
- fromJSON, [3](#), [33](#)
- getManyRecs, [3](#), [9](#), [13](#), [29](#), [30](#)
- getManyRecs (getOneRec), [11](#)
- getOneRec, [3](#), [9](#), [11](#), [13](#), [22](#), [26](#), [29](#), [30](#), [32](#)
- InjectionListener, [4](#), [11](#), [15–18](#), [21](#), [35](#), [37](#)
- InjectionListener
 - (ListenerConstructors), [17](#)
- InjectionListener-class, [14](#)
- isListener, [3](#), [20](#)
- isListener (Listener), [15](#)
- isListener, ANY-method (Listener), [15](#)
- isListener, CaptureListener-method
 - (CaptureListener-class), [10](#)
- isListener, InjectionListener-method
 - (InjectionListener-class), [14](#)
- isListener, ListenerSet-method
 - (ListenerSet-class), [19](#)
- isListener, UpdateListener-method
 - (UpdateListener-class), [34](#)
- isListener, UpsertListener-method
 - (UpsertListener-class), [36](#)
- layout.json, [20](#)
- Listener, [2](#), [3](#), [10](#), [11](#), [14](#), [15](#), [15](#), [18–21](#), [24](#), [34–37](#)
- Listener-class (Listener), [15](#)
- ListenerConstructors, [3](#), [17](#)
- ListenerSet, [4](#), [16](#), [18](#), [23](#), [24](#)
- ListenerSet (ListenerSet-class), [19](#)
- ListenerSet-class, [19](#)
- m_id (P4Message), [25](#)
- m_id, ANY-method (P4Message-class), [27](#)
- markAsError, [3](#), [27](#), [28](#)
- markAsError (markAsProcessed), [21](#)
- markAsProcessed, [3](#), [21](#), [27](#), [28](#)
- mess, [17](#)
- mess (P4Message), [25](#)
- mess, P4Message-method
 - (P4Message-class), [27](#)
- mongo, [2](#), [3](#), [9](#), [11–15](#), [17](#), [18](#), [20](#), [21](#), [23](#), [26](#), [27](#), [29–32](#), [34–37](#)
- MongoDB, [20](#)
- MongoDB-class, [23](#)
- notifyListeners, [4](#), [21](#), [24](#)
- notifyListeners, ListenerSet-method
 - (ListenerSet-class), [19](#)
- P4Message, [2](#), [3](#), [11](#), [12](#), [14–16](#), [18](#), [19](#), [21](#), [22](#), [24](#), [25](#), [25](#), [26](#), [27](#), [29](#), [30](#), [32](#), [34–37](#)
- P4Message-class, [27](#)
- parseData, [7](#)
- parseData (parseMessage), [29](#)
- parseEvent, [22](#)
- parseMessage, [3](#), [7](#), [9](#), [12](#), [13](#), [26](#), [29](#), [29](#), [32–34](#)
- parseSimpleData (parseMessage), [29](#)
- POSIXt, [33](#)
- Proc4 (Proc4-package), [2](#)
- Proc4-package, [2](#)
- processed, [3](#), [27](#)
- processed (markAsProcessed), [21](#)
- processed, P4Message-method
 - (P4Message-class), [27](#)
- processingError, [3](#), [28](#)
- processingError (markAsProcessed), [21](#)
- processingError, P4Message-method
 - (P4Message-class), [27](#)
- receiveMessage, [3](#), [4](#), [19–21](#), [24](#)
- receiveMessage (Listener), [15](#)
- receiveMessage, CaptureListener-method
 - (CaptureListener-class), [10](#)
- receiveMessage, InjectionListener-method
 - (InjectionListener-class), [14](#)
- receiveMessage, ListenerSet-method
 - (ListenerSet-class), [19](#)
- receiveMessage, UpdateListener-method
 - (UpdateListener-class), [34](#)
- receiveMessage, UpsertListener-method
 - (UpsertListener-class), [36](#)
- saveRec, [3](#), [7](#), [13](#), [26](#), [29](#), [31](#)
- sender, [17](#)
- sender (P4Message), [25](#)
- sender, P4Message-method
 - (P4Message-class), [27](#)
- serializeJSON, [3](#), [6](#), [7](#), [29–31](#)
- setClassUnion, [23](#)
- setOldClass, [23](#)
- show, [26](#)
- show, P4Message-method (P4Message), [25](#)
- timestamp, [21](#), [22](#)

timestamp (P4Message), [25](#)
timestamp, P4Message-method
 (P4Message-class), [27](#)
toJSON, [3](#), [6](#), [7](#), [28](#), [33](#), [34](#)
toString, [22](#)
toString, P4Message-method (P4Message),
 [25](#)
try, [37–39](#)

uid (P4Message), [25](#)
uid, P4Message-method (P4Message-class),
 [27](#)
unbox, [6](#), [7](#), [33](#), [34](#)
unboxer, [3](#), [29](#), [32](#)
unparseData, [6](#), [35](#)
unparseData (parseMessage), [29](#)
unserializeJSON, [29](#), [30](#)
ununboxer (unboxer), [32](#)
UpdateListener, [4](#), [11](#), [15–18](#), [21](#), [35](#), [37](#)
UpdateListener (ListenerConstructors),
 [17](#)
UpdateListener-class, [34](#)
UpsertListener, [4](#), [11](#), [15–18](#), [21](#), [35](#), [37](#)
UpsertListener (ListenerConstructors),
 [17](#)
UpsertListener-class, [36](#)

withFlogging, [2](#), [3](#), [37](#)